



1D & 2D





AER



Megapixel



GMS



Laser





4.0" screen



Touchscreen USB-C



5100 mAh



Micro SD



Camera



1.8M

drop







Band

IP65





NFC



GPS

oOUL **GPRS**









Warranty

2 Years



Features

Newland's best screen technology.

The 4" HD screen has a high transparency and low reflectivity to give crystal clear images, even in sunlight. The touchscreen responds when wearing gloves and maintains sensitivity even when wet. For added protection, Gorilla Glass 3 makes the N7 Cachalot Pro tougher and more damage resistant, making the device the perfect companion in rough environments.

Android Enterprise Recommended (AER).

The N7 Cachalot Pro carries Google's AER seal of approval, signaling it keeps pace with performance and security upgrades to its operating system and core functionality. This label, in combination with Newland's free MDM Ndevor, enables clients to maintain secure visibility and control over their devices regardless of location.

Fast charging, high-capacity and hot-swappable battery.

The N7 Cachalot Pro supports fast charging for its 5100mAh battery and is hot-swappable. This keeps your program running and your wifi connected, even when taking the battery fully out to exchange it with a new one.

Near and far scanning, acuscan and multi-read mode

The N7 Cachalot Pro offers a choice of megapixel 2D scan engine. The

Standard-range version with acuscan provides standard, accurate scanning on codes close-up or smaller items. Alternatively, the Mid-range version is capable of reading codes on boxes and pallets from further away. Both scanners offer Newland's multi-read mode.

Daisy chain charging.

The single cradle is designed to link to up to 3 additional cradles (4 in total), to limit the number of power outlets needed to charge units.

The keys to unlock applications.

The N7 Cachalot Pro is designed to allow tailoring to many different applications for which a physical keyboard is still preferred. It offers the flexibility to choose between a 29, 38 and 47 keypad option (not including side scan buttons). Each of the three configurations are back-lit for high visibility in dark work environments.

Seen and heard.

The applications most suited to the N7 Cachalot Pro are often in noisy environments. To accommodate for this, sound notifications can be adjusted to reach up to 90 decibels. When sound is not wanted, or instead, enough on its own, the device has vibration and a LED color feedback.



Suggested industries









Manufacturing

W arehousing

N7 Cachalot Pro Technical specifications

Data	Capture

1D All major 1D symbologies
2D All major 2D symbologies

Image Sensor 1280x800 CMOS

Aiming Laser diode

Illumination White LED (625±10nm)

Scan Modes Trigger Mode, Sense Mode

Scan Rate 60 frames per second

Depth of Field EAN 13 (13mil) SR: 40-480mm; MR: 130-705mm

Depth of Field Code 39 (5mil) SR: 80-350mm; MR: 200-575mm

Depth of Field DataMatrix (10mil) SR: 55-355mm; MR: 185-520mm

Depth of Field QR (15mil) SR: 50-400mm; MR: 195-550mm

Performance

Depth of Field PDF417 (6.67mil)

Operating System Android 10 - GMS, Android Enterprise Recommended (AER)

SR: 60-320mm; MR: 175-550mm

Processor Qualcomm Snapdragon 1.8GHz main frequency

Memory RAM 4GB

Memory Flash 64GB

Memory Storage Expansion (max.) Micro SD/TF card (max. 128 GB)

Physical

Battery Type 3.8V, 5100 mAh, removable

Buttons Two scan buttons (left/right), three touch navigation keys

Camera 13 Megapixels, PDAF, with LED flashlight

Dimensions (mm) $200(H) \times 70(W) \times 29(0) \text{ mm (pistol grip 58mm)}$

Display 4.0" WVGA I PS screen with Gorilla Glass, resolution 480x800, supports input with gloves

Expansion Slot MicroSD card (max. 128GB)

Expected Battery Life Scanning:> 15 hours of continuous operations; standby: 500 hours

Type-C 9V/2A,15V/I.2A

Interfaces Quick charging (QC) 3.0, Type-C port, 9V/2A

Keypad 29, 38 or 47 physical buttons, white backlight function

Notifications Vibrator, speaker, and mulit-color LED

Power Supply Input AC 100~240V, 50~60Hz

Sensors Gravity Sensor, Hall Switch

SIM (4G configurations only)

Nano+Nano or Nano+TF

Weight 360g (including battery)

Wireless

Power Supply Output

WWAN Radio (4G configurations only) 2G: GSM: 850/900/1800/1900MHz; 3G: WCDMA: BI/B2/BS/B7/B8/ B20/B28a&b, CDMA Ix/EVDO: BCO;

4G: FDD-LTE: BI/B2/B3/BS/B7/B8/B20/B28a&b, TDD-LTE; B38/B39/B40/B41 (100M)

Newland EMEA HQ

+31 (0) 345 87 00 33

info@newland-id.com

newland-id.com

Feel free to contact us or a partner near you

visit newland-id.com/partners

Specifications are subject to change without notice

© Newland EMEA 2023, all rights reserved



N7 Cachalot Pro Technical specifications

WLAN RADIO	802.11 a/b/g/n/ac, compatible with 11 d/h/i/k/r/v/w, support 2.4G and 5G dual frequency; Roaming: Super Fast Roaming
WPAN RADIO	Dual mode, Bluetooth 4.2+LE (backward compatible)
RFID	NFC: 13.36MHz IS014443A/B, MI FARE, Felica, NFC Forum Tags
GPS (4G configurations only)	Beidou, Galileo, GLONASS, GPS (AGPS)
Env ironmental	
Operating Temperature	-20°C to 55°C
Storage Temperature	-40°C to 70°C
Humidity	5% to 95% (non-condensing)
Electro Static Discharge (ESD)	±8 KV (direct discharge); ±15 KV (air discharge)
Drop	1.8m
IP Rating	IP65
Accessories	
Standard	Hand strap, USB cable, battery and multi-plug adapter (supports fast charging)
Optional	Single cradle, pistol Grip, 4-slot battery charger, screen protection film
Software	
MDM (certified)	Ndevor, SOTI, Airwatch
Terminal Emulation (compatible)	StayLinked, Ivanti Velocity
Configuration Tools	Ndevor
Certifications	
Hardware	CE-RED, FCC, BIS, RoHS2.0, REACH, AER, SOTI, UN38.3, IEC62471; Laser Safety: IEC60825
Warranty	

Standard

2 years

